

**In the Claims:**

Amend claims 1, 3, 4, 12 and 13 to read as follows:

B2  
1. (Twice Amended) A method for producing an optical lens comprising,  
adding 2-(2-hydroxy-4-octyloxyphenyl)-benzotriazole to a diethylene glycol  
bisallylcarbonate monomer to form a mixture, and  
polymerizing the monomer in the mixture to form the optical lens,  
wherein the optical lens has a yellowness index (YI) between about 0.7 and 1.6 and a 380  
nm UV transmittance of at most 30 % measured when a thickness of the optical lens is about 2.2  
mm.

B3  
3. (Twice Amended) An optical lens comprising 2-(2-hydroxy-4-octyloxyphenyl)-  
benzotriazole and a polymer formed by polymerizing a diethylene glycol bisallylcarbonate  
monomer.

B4  
12. (Twice Amended) Spectacles comprising the optical lens according to claim 3 or 13.

B5  
13. (Twice Amended) The optical lens according to claim 3,  
wherein the optical lens has a yellowness index (YI) between about 0.7 and 1.6 and a 380  
nm UV transmittance of at most 30 % measured when a thickness of the optical lens is about 2.2.

Add new claims 14-22, as follows:

B6  
14. (New) A method for producing an optical lens comprising,  
adding 2-(2-hydroxy-4-octyloxyphenyl)-benzotriazole to an episulfide monomer to form  
a mixture, and  
polymerizing the monomer in the mixture to form the optical lens,

wherein the optical lens has a yellowness index (YI) between about 0.7 and 1.8 and a 400 nm UV transmittance of at most 30 % measured when a thickness of the optical lens is about 1.8 mm.

15. (New) The method of claim 14, further comprising casting the mixture into a mold for a lens before the polymerizing of the monomer to form the optical lens.

16. (New) An optical lens comprising 2-(2-hydroxy-4-octyloxyphenyl)-benzotriazole and a polymer formed by polymerizing an episulfide monomer,

wherein the optical lens has a yellowness index (YI) between about 0.7 and 1.8 and a 400 nm UV transmittance of at most 30 % measured when a thickness of the optical lens is about 1.8 mm.

17. (New) Spectacles comprising the optical lens according to claim 16.

18. (New) A method for producing an optical lens comprising, adding 2-(2-hydroxy-4-octyloxyphenyl)-benzotriazole to an thiourethane monomer to form a mixture, and

polymerizing the monomer in the mixture to form the optical lens,

wherein the optical lens has a yellowness index (YI) between about 0.7 and 1.5 and a 400 nm UV transmittance of at most 35 % measured when a thickness of the optical lens is about 1.6 mm

19. (New) The method of claim 18, further comprising casting the mixture into a mold for a lens before the polymerizing of the monomer to form the optical lens.

20. (New) An optical lens comprising 2-(2-hydroxy-4-octyloxyphenyl)-benzotriazole and a polymer formed by polymerizing a thiourethane monomer.

21. (New) The optical lens of claim 20, wherein the optical lens has a yellowness index (YI) between about 0.7 and 1.5 and a 400 nm UV transmittance of at most 35 % measured when a thickness of the optical lens is about 1.6 mm.

b6

22. (New) Spectacles comprising the optical lens according to claim 20 or 21.